

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4367	(313/503,504,499,292).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/19 10:48
S2	1261	(445/46,58).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/11/19 08:11
S3	5620	S1 S2	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/19 08:11
S4	2359	S3 and organic	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/19 08:12
S5	552	S4 and (transistor TFT)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/19 08:13
S6	506	S5 and (conductor cathode anode)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/19 11:15
S10	14	S6 and (transparent near6 (wall partition partitioning rib bank divider))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/19 10:46
S11	3380	"high molecular material"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/19 10:46
S12	34	S6 and ("ink jet" and (circular round ball))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/19 11:00
S13	1	("20020109456").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/11/19 11:05
S14	33	S6 and "roll coating"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/19 13:50

EAST Search History

S15	104272	("313").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/11/19 11:15
S16	2486	S15 and (insulat\$4 near3 (wall partition partitioning rib bank divider))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/19 11:18
S17	2326	S16 and (electrode anode cathode)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/19 11:17
S18	56	S17 and "insulating partition"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/19 11:17
S19	681	S15 and (transparent near3 (wall partition partitioning rib bank divider))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/19 11:18
S20	608	S19 and (electrode cathode anode)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/19 11:33
S21	1	("20020011783").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/11/19 13:33
S22	9	S15 and ((transparent near2 insulating) near2 (wall partition partitioning rib bank divider))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/19 11:43
S23	20	S15 and ((transparent near3 insulating) near4 (wall partition partitioning rib bank divider))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/19 11:43
S24	11	S23 not S22	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/19 11:48
S25	1	("3622829").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/11/19 11:48
S26	1	("20020109456").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/11/19 13:33

EAST Search History

S27	2	S15 and ("electroluminescent" near5 "roll coating")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/19 13:51
S28	3	S15 and ("electroluminescent" near8 "roll coating")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/19 13:52
S29	5	S15 and ("electroluminescent" near10 "roll coating")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/19 13:52
S30	2	((("20020011783") or ("3622829")).PN.	US-PGPUB; USPAT	OR	OFF	2005/06/03 09:29
S31	0	("2004/0108811").URPN.	USPAT	OR	ON	2005/06/03 09:38
S32	3	"10/242004"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/06/03 09:44
S33	1	("20040113545").PN.	US-PGPUB; USPAT	OR	OFF	2005/06/03 10:57
S34	58337	("313").CLAS.	US-PGPUB; USPAT	OR	OFF	2005/06/03 10:57
S35	8648	("445").CLAS.	US-PGPUB; USPAT	OR	OFF	2005/06/03 10:58
S36	63050	S34 S35	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/06/03 10:58
S37	7346	S36 and (organic OLED)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/06/03 10:58
S38	6272	S37 and (fluorescent phosphor\$7 photo\$luminescent lumines\$5 luminophor\$3 lumino\$4 EL electroluminescence)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/06/03 10:59
S39	1910	S38 and ((transparent clear glass sheer) with (wall partition rib bank divider spacer holding holder press\$4 pillar))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/06/03 11:06
S40	1857	S39 and (cathode electrode anode)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/06/03 11:02

EAST Search History

S41	916	S40 and ((transparent clear glass sheer) adj5 (wall partition rib bank divider spacer holding holder press\$4 pillar))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/06/03 11:03
S42	52	S41 and OLED	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/06/03 11:03
S45	1	("6344712").PN.	US-PGPUB; USPAT	OR	OFF	2006/03/02 09:31
S46	3120	(313/504).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/01 08:08
S47	2965	S46 and (OLED (organic near5 (EL electroluminescence electroluminescent light\$emissive light\$emitting light\$emission (light near3 (emissive emitting emission))))))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/04/01 08:08
S48	1	("20040113545").PN.	US-PGPUB; USPAT	OR	OFF	2006/04/01 08:10
S49	1	("20020011783").PN.	US-PGPUB; USPAT	OR	OFF	2006/04/01 08:27
S50	1	("5923997").PN.	US-PGPUB; USPAT	OR	OFF	2006/04/01 08:28
S51	1	("6344712").PN.	US-PGPUB; USPAT	OR	OFF	2006/04/01 08:28
S52	3	((("20020011783") or ("6344712") or ("20030011305")).PN.	US-PGPUB; USPAT	OR	OFF	2006/09/19 10:53
S53	62755	("313").CLAS.	US-PGPUB; USPAT	OR	OFF	2006/09/19 10:53
S54	9355	("445").CLAS.	US-PGPUB; USPAT	OR	OFF	2006/09/19 10:54
S55	67877	S53 S54	US-PGPUB; USPAT	OR	ON	2006/09/19 10:54
S56	27272	S55 and @ad<"20020920"	US-PGPUB; USPAT	OR	ON	2006/09/19 12:25
S57	2275	S56 and (OLED (organic near5 (EL. u/c. electroluminescence electroluminescent electro\$luminescence electro\$luminescent light\$emissive light\$emitting light\$emission (light near3 (emissive emitting emission))))))	US-PGPUB; USPAT	OR	ON	2006/09/19 12:25

EAST Search History

S58	485	S57 and ((spacer rib partition rib divider wall bank projection barrier ridge bulk\$head pillar rampart holder ((separat\$3 spacing gap reinforce\$4 support\$3 hold\$3 press\$4) near3 (member structure element means))) same (insulat\$5 insular dielectric))	US-PGPUB; USPAT	OR	ON	2006/09/19 12:25
S59	311	S58 and ((spacer rib partition rib divider wall bank projection barrier ridge bulk\$head pillar rampart holder ((separat\$3 spacing gap reinforce\$4 support\$3 hold\$3 press\$4) near3 (member structure element means))) same (transmit\$5 transparent transmiss\$3 clear))	US-PGPUB; USPAT	OR	ON	2006/09/19 12:51
S60	309	S59 and (cathode electrode anode)	US-PGPUB; USPAT	OR	ON	2006/09/19 10:58
S61	34331	(OLED (organic near5 (EL.u/c. electroluminescence electroluminescent electro\$luminescence electro\$luminescent light\$emissive light\$emitting light\$emission (light near3 (emissive emitting emission))))))	EPO; JPO; DERWENT	OR	ON	2006/09/19 12:07
S62	574	S61 and ((spacer rib partition rib divider wall bank projection barrier ridge bulk\$head pillar rampart holder ((separat\$3 spacing gap reinforce\$4 support\$3 hold\$3 press\$4) near3 (member structure element means))) same (insulat\$5 insular dielectric))	EPO; JPO; DERWENT	OR	ON	2006/09/19 12:07
S63	150	S62 and ((spacer rib partition rib divider wall bank projection barrier ridge bulk\$head pillar rampart holder ((separat\$3 spacing gap reinforce\$4 support\$3 hold\$3 press\$4) near3 (member structure element means))) same (transmit\$5 transparent transmiss\$3 clear))	EPO; JPO; DERWENT	OR	ON	2006/09/19 12:08
S64	136	S63 and (cathode electrode anode)	EPO; JPO; DERWENT	OR	ON	2006/09/19 12:24
S65	3160	(428/690).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/09/19 12:24
S66	2245	(315/169.3).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/09/19 12:24
S67	1586	(345/36,45,76).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/09/19 12:24

EAST Search History

S68	6524	S65 S66 S67	US-PGPUB; USPAT	OR	ON	2006/09/19 12:25
S69	6434	S68 not S60	US-PGPUB; USPAT	OR	ON	2006/09/19 12:25
S70	3882	S69 and (OLED (organic near5 (EL. u/c. electroluminescence electroluminescent electro\$luminescence electro\$luminescent light\$emissive light\$emitting light\$emission (light near3 (emissive emitting emission))))))	US-PGPUB; USPAT	OR	ON	2006/09/19 12:50
S71	1640	S70 and @ad<"20020920"	US-PGPUB; USPAT	OR	ON	2006/09/19 16:23
S72	164	S71 and ((spacer rib partition rib divider wall bank projection barrier ridge bulk\$head pillar rampart holder ((separat\$3 spacing gap reinforce\$4 support\$3 hold\$3 press\$4) near3 (member structure element means))) same (insulat\$5 insular dielectric))	US-PGPUB; USPAT	OR	ON	2006/09/19 12:51
S73	40	S72 and ((spacer rib partition rib divider wall bank projection barrier ridge bulk\$head pillar rampart holder ((separat\$3 spacing gap reinforce\$4 support\$3 hold\$3 press\$4) near3 (member structure element means))) same (transmit\$5 transparent transmiss\$3 clear))	US-PGPUB; USPAT	OR	ON	2006/09/19 12:49
S74	3596	(257/57,61,75,72,350).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/09/19 16:23

EAST Search History

S75	33	S74 and @ad<"20020920" and (OLED (organic near5 (EL.u/c. electroluminescence electroluminescent electro\$luminescence electro\$luminescent light\$emissive light\$emitting light\$emission (light near3 (emissive emitting emission)))) and ((spacer rib partition rib divider wall bank projection barrier ridge bulk\$head pillar rampart holder ((separat\$3 spacing gap reinforce\$4 support\$3 hold\$3 press\$4) near3 (member structure element means))) same (insulat\$5 insular dielectric)) and ((spacer rib partition rib divider wall bank projection barrier ridge bulk\$head pillar rampart holder ((separat\$3 spacing gap reinforce\$4 support\$3 hold\$3 press\$4) near3 (member structure element means))) same (transmit\$5 transparent transmiss\$3 clear)) and (cathode electrode anode)	US-PGPUB; USPAT	OR	ON	2006/09/19 16:28
-----	----	--	-----------------	----	----	------------------